

Test Report No. SHAEC2203109003 Date: 02 Mar 2022 Page 1 of 8

Client Name: zhejiang lianhe electronics co..ltd

Client Address: NO.8 chuangxin road, yueqing bay port zone, yueqing city, zhejiang

Sample Name : PA66+connector

Client Ref. Information : See the attachment

Model No.: PA66 White

Material No. : Material code:11201704000626 The above sample(s) and information were provided by the client.

SGS Job No.: SP22-004679 - SH

Date of Sample Received: 24 Feb 2022

Testing Period: 24 Feb 2022 - 02 Mar 2022

Test Requested: Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results: Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Tom Ni

Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us a

3¹⁶Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21)61156899



Test Report No. SHAEC2203109003 Date: 02 Mar 2022 Page 2 of 8

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description
SN1 SHA22-031090.001 White plastic

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Per-and polyfluoroalkyl substances (PFASs)

Test Method: With reference to CEN/TS 15968:2010 and SGS in house method(SHTC-CHEM-SOP-775-T), analysis was performed by LC-MS or LC-MS-MS and GC-MS

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Perfluorobutyric acid (PFBA)	375-22-4	mg/kg	0.01	ND
Perfluoropentanoic acid (PFPA)	2706-90-3	mg/kg	0.01	ND
Perfluorohexanoic acid (PFHxA)	307-24-4	mg/kg	0.01	ND
Ammonium perfluorohexanoate (PFHxA-NH ₄)**	21615-47-4	mg/kg	0.01	ND
7H-Dodecafluoroheptanioc acid (HPFHpA)	1546-95-8	mg/kg	0.01	ND
Perfluorobutanesulfonic acid (PFBS)	375-73-5	mg/kg	0.01	ND
Nonafluorobutanesulfonic Acid Hydrate (PFBS-H₂O)**	59933-66-3	mg/kg	0.01	ND
Perfluorobutanesulfonate K-salt (PFBS-K)**	29420-49-3	mg/kg	0.01	ND
Perfluoroheptanoic acid (PFHpA)	375-85-9	mg/kg	0.01	ND
1H,1H,2H,2H-Perfluorooctanesulphonic acid (H₄PFOS	27619-97-2	mg/kg	0.01	ND
6:2)				
Perfluorooctanoic acid (PFOA)	335-67-1	mg/kg	0.01	ND
Sodium perfluorooctanoate (PFOA-Na)**	335-95-5	mg/kg	0.01	ND
Ammonium pentadecafluorooctanoate (APFO)**	3825-26-1	mg/kg	0.01	ND
Potassium perfluorooctanoate (PFOA-K)**	2395-00-8	mg/kg	0.01	ND
Silver perfluorooctanoate (PFOA-Ag)**	335-93-3	mg/kg	0.01	ND
Perfluorooctanoyl fluoride (PFOA-F)**	335-66-0	mg/kg	0.01	ND
Tetrabutylphosphonium 2H,2H-Perfluorodecanoate (H₂PFDA)	882489-14-7	mg/kg	0.01	ND
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	mg/kg	0.01	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **The content of the company is a conten

or email: <u>CN.Doccheck@sgs.com</u> 3stBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E& 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HI



Test Report	No. SHAEC2203109003		Date: 02 Mar 2022	Page	Page 3 of 8	
Test Item(s)		CAS NO.	<u>Unit</u>	MDL	<u>001</u>	
Perfluorohexanesulfonate NA-salt (Pl	FHxS-Na)**	82382-12-5	mg/kg	0.01	ND	
Perfluorohexanesulfonate K-salt (PFI	1xS-K)**	3871-99-6	mg/kg	0.01	ND	
Perfluorononanoic acid (PFNA)		375-95-1	mg/kg	0.01	ND	
Perfluorononanoate Na-Salt (PFNA-N	la)**	21049-39-8	mg/kg	0.01	ND	
Perfluorononanoate ammounium salt	(APFN)**	4149-60-4	mg/kg	0.01	ND	
Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7-DMOA)	172155-07-6	mg/kg	0.01	ND	
Perfluoroheptanesulfonic acid (PFHp	S)	375-92-8	mg/kg	0.01	ND	
Sodium pentadecafluoroheptyl sulfina	ate (PFHpS-Na)**	68555-66-8	mg/kg	0.01	ND	
Potassium Perfluoroheptanesulfonate	e (PFHpS-K)**	60270-55-5	mg/kg	0.01	ND	
Perfluorodecanoic acid (PFDA)		335-76-2	mg/kg	0.01	ND	
Perfluorodecanoate Na-salt (PFDA -N	la)**	3830-45-3	mg/kg	0.01	ND	
Perfluorodecanoate ammonium salt (APFDA) **	3108-42-7	mg/kg	0.01	ND	
2H,2H,3H,3H-Perfluoroundecanoic ad	cid (4HPFUnA)	34598-33-9	mg/kg	0.01	ND	
Perfluorooctane sulfonates (PFOS)		1763-23-1	mg/kg	0.01	ND	
Sodium Perfluorooctanesulfonate (PF	OS-Na)**	4021-47-0	mg/kg	0.01	ND	
Perfluorooctane Sulfonamide (PFOSA	A)	754-91-6	mg/kg	0.01	ND	
N-methylperfluoro-1-octanesulfonami	de (MeFOSA)	31506-32-8	mg/kg	0.01	ND	
N-ethylperfluoro-1-octanesulfonamide	e (EtFOSA)	4151-50-2	mg/kg	0.01	ND	
2-(N-methylperfluoro-1-octanesulfona (MeFOSE)	imido)-ethanol	24448-09-7	mg/kg	0.01	ND	
2-(N-ethylperfluoro-1-octanesulfonam (EtFOSE)	nido)-ethanol	1691-99-2	mg/kg	0.01	ND	
Perfluorooctane Sulfonyl fluoride (PO	SF)**	307-35-7	mg/kg	0.01	ND	
Potassium Perfluorooctanesulfonate	(PFOS-K)**	2795-39-3	mg/kg	0.01	ND	
Perfluorooctanesulfonic acid, ammon (PFOS-NH ₄)**	ium salt	29081-56-9	mg/kg	0.01	ND	
N-decyl-N,N-dimethyldecan-1-aminiu 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepta -sulfonate (PFOS-DDA)**		251099-16-8	mg/kg	0.01	ND	
Perfluorooctane sulfonate diethanolar (PFOS-NH(OH) ₂)**	mine salt	70225-14-8	mg/kg	0.01	ND	
Perfluorooctanesulfonic acid, lithium	salt(PFOS-Li)**	29457-72-5	mg/kg	0.01	ND	
Perfluorooctanesulfonic acid, tetraeth (PFOS-N(C ₂ H ₅) ₄)**	ylammonium salt	56773-42-3	mg/kg	0.01	ND	
Perfluoroundecanoic Acid (PFUdA)		2058-94-8	mg/kg	0.01	ND	
Perfluorododecanoic Acid (PFDoA)		307-55-1	mg/kg	0.01	ND	
Perfluorodecane sulfonic acid (PFDS)	335-77-3/ 126105-34-8	mg/kg	0.01	ND	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

e sgs.china@sgs.com



Test Report	No. SHAEC2203109003		Date: 02 Mar 2022	Page	Page 4 of 8	
Test Item(s)		CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>001</u>	
Perfluorodecanesulfonate Na-salt (F	PFDS-Na) **	2806-15-7	mg/kg	0.01	ND	
Perfluorodecanesulfonate K-salt (PF	DS-K)**	2806-16-8	mg/kg	0.01	ND	
Perfluoroaliphatic Dean-sulfonate sa (PFDS-NH ₄)**	ılt of NH₄	67906-42-7	mg/kg	0.01	ND	
Perfluorotridecanoic Acid (PFTrA)		72629-94-8	mg/kg	0.01	ND	
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluorodecanesulph	onic acid (8:2 FTS)	39108-34-4	mg/kg	0.01	ND	
2H,2H-Perfluorodecanoic acid		27854-31-5	mg/kg	0.01	ND	
Perfluorobutansulfonyl fluoride**		375-72-4	mg/kg	0.01	ND	
N,N,N,-triethylethanaminium 1,1,2,2,3,3,4,4,4-nonafluorobutane- C ₂ H ₅) ₄)**	I-sulfonate(PFBS-N(25628-08-4	mg/kg	0.01	ND	
2,3,3,3-tetrafluoro-2-(heptafluoropro its salts and its acyl halides (HPFO-l		62037-80-3/ 13252-13-6 67118-55-2 2062-98-8	6/ 2/	0.01	ND	
bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,ecyl) hydrogen phosphate(8:2diPAP	•	678-41-1	mg/kg	0.01	ND	
Perfluorooctadecanoic Acid (PFODA	A)	-	mg/kg	0.01	ND	
Perfluorohexadecanoic Acid (PFHxI	DA)	67905-19-5	mg/kg	0.01	ND	
N-Methylperfluoro-1-octanesulfonan	nidoacetic Acid	2355-31-9	mg/kg	0.01	ND	
N-Ethyl-N-(perfluoro-1-octanesulfon	yl) Glycine	2991-50-6	mg/kg	0.01	ND	
Methyl perfluorooctanoate (Me-PFO	A)	376-27-2	mg/kg	0.01	ND	
Ethyl perfluorooctanoate (Et-PFOA)		3108-24-5	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluoro-1-decanol (8	3:2 FTOH)	678-39-7	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluorodecyl acrylat	e (8:2 FTA)	27905-45-9	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluorodecyl methad	crylate (8:2 FTMA)	1996-88-9	mg/kg	0.01	ND	
Perfluoro-1-iodooctane (PFOI)		507-63-1	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluoro-1-hexanol (4	1:2 FTOH)	2043-47-2	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluoro-1-octanol (6	:2 FTOH)	647-42-7	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluorooctylacrylate	(6:2 FTA)	17527-29-6	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluorododecylacryl	ate (10:2 FTA)	17741-60-5	mg/kg	0.01	ND	
1H,1H,2H,2H-Perfluoro-1-dodecano	I (10:2 FTOH)	865-86-1	mg/kg	0.01	ND	
1-lodo-1H,1H,2H,2H-perfluorodecar	ne (8:2 FTI)	2043-53-0	mg/kg	0.1	ND	
1H,1H,2H,2H-Perfluorooctyl methac	rylate (6:2 FTMAC)	2144-53-8	mg/kg	0.1	ND	
1H,1H,2H,2H-Perfluorodecyltriethox	ysilane (PFSI)	101947-16-4	mg/kg	0.1	ND	
Sum of PFOA & its salts and PFOA	related substances		mg/kg	-	ND	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



No. SHAEC2203109003

Date: 02 Mar 2022 Page 5 of 8

Notes:

** The test result is based on the calculation of selected marker(s) and to the worst-case scenario.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



No. SHAEC2203109003

Page 6 of 8

Date: 02 Mar 2022

Attachment

1.0, SH, SHD, 1.25, 51021, DF14, DF13, GH, ZH, PH, PHB, PA, PHSD, DF11, C1251, 51047, 51146, FLS, PHD, YHD200, PA, SMP, SMW, SMH, SMH200, SMH200-H, YH200, 20039WR, dubang 2.0, XH/TJC3, XA, HA, XHB, XHD, XHE, EH, EI, 小4P, 5263, 5264, 5267, 5268, SZN, SAN, SCN, SCND, JC15, JC20, JC25, 5102, 5240, SMH250, SMP250, SMW250, 25048HS, 25045HP, SM, TJC8, dubang 2.54, TJC8A, dubangb, TJC8B, TJC8H, 5051, 2510, MSM, 43640, 43645, 43020, 43025, 5500, 5600, VH, VHRR, YH396, VHR, 35156, 2139, 3.96, 90331, 5195, 5196, 39612, FL, 5557, 5559, 5566, 5569, SL, RV42, EL, YL, 小EL, 8981, 大4P, 5058, 5.08, L6.2, VL, VLP/VLR, TJC2, TJC2A, TJC2B, TJC4, TJC1, 1806, MX3.0, 1.58, 51005, 51006, BH3.5, BH4.0, 63080, 51004, TJC15, A4203, CL014, OTP, MKH, SMF, Cy-X201, 35108, 35150, 35151, 35224, 35180, 35965, 42021, 42022, 42002, 35955, SA, SCS, 35189, 35196, CH10, CH2.5, 543, SLP, SLR, YHL500, YWL500, FFC, FPC, 20030, 250, LGC, S11, YH025, 35155, 25415, 5197, 5198, 110, 2.8, 6.3, SCS NH, XHQ, 42474, 42475, QH, NV, 50300, 50301, 5025, 3191, 5199, STV5, YHL500, YWL500, F001, F002, D440, D600, D620, D700, D220, D230, D250, D480, D520, D280, D630, D430, D400, D450, U-T, F1001-T, SIN-T, 774, 773, 778, 294, TU-JTK(SV), TU(SNB), TO-JTK(RV), MDD, FDD, TG-JT, IDC, AUTO, CONNECTOR, DJ70, DT04, DT06, UY/K1, UY2/K2, UR/K3, UR2, UB/K4, UB2A, UG/K5, U1R/K8, U1B/K9, HJKT10, UDW2, 314, A5001, A5002, MC100, FPC2.54, SGN, PHR, ZHR, 205, 5.2, C1801, C1802, 2060, A5003, ME020, ME010, FPC/FFC, B2541, 1971845, 1971846, 2232043, 2232044, 2232511, 1971895, 1971896, JWPF, SY, Molex1.5, ME0100, RAST, A5004, DV, SJN, SDN, 35182, 35524, RCY, LC, VR, SHJ, SHL, DF19, ACH, IL-Z, SATA, XSR, SUR, SUH, ZE, ZND, ZPD, SFH, PUD, AMP2.0, 35507, DF3, PND, RE, RA, RF, SYP/SYR, HIF3, MC100/ME020/ME010, F2541, A5005, A5006, A5007, A2509, A25010, A25011, A25012, B13001, B76201, VHB, VHC, VHD 1969738, 1969740, 1971845, 1971846, 1971895, 1971896, 1971946 thru 1971949, 1971954 thru 1971957, 2232008 thru 2232011, 2232000 thru 2232003, 2232016 thru 2232019, 1971962 thru 1971965, 2232024 thru 2232027, 2232289 thru 2232292, 2232043 thru 2232074, 2232298 thru 2232301, 2232511, 2232532, 2232557, 2232559, 2232560, 2232562, 2232563, 2232565, 2232566, 2232568, 2232569, 2232571, 2232572, 2232574, 2232575, 2232577, 2232578, 2232580, 2232581, 2232583, 2232584, 2232586, 2232587, 2232589, 2232590, 2232592, 2232593, 2232595, 2232596, 2232598, 2232599, 2232601, 2232602, 2232604, 2232605, 2232607, 2232608, 2232611 thru 2232682, 2292457, 2292458,



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***This inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *** cested . on report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District, Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899




No. SHAEC2203109003

Date: 02 Mar 2022

Page 7 of 8

ATTACHMENTS

PFASs/ PFOS/PFOA Testing Flow Chart





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CRN.Doccheck@gs.com"

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



No. SHAEC2203109003

Page 8 of 8

Date: 02 Mar 2022

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parlies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"